## EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S182	100	burst with (averag\$3 or mean) near3 (rate\$2 or bitrate\$2 or bitrate\$2 or bit rate\$2 or bit rate\$2 or mbps or kbps) and (@ad<="20030930" or @pdc="20030930" or @rian<="20030930" or @rian<="20030930" or @rian<="20030930" or @rian<="20030930" or @rian<="20030930" or define="20030930") and ('455" or 370/310-350.cds.)	US-PGPUB; USPAT; EPO; DEPWENT; IBM_TDB	SADJ	OFF	2009/05/09
S183	51	burst with (averag\$3 or mean) near3 (rate\$2 or bitrate\$2 or bit rate\$2 or bit rate\$2 or bit sate\$2 or mbps or kbps) and (@ad<- "20030930" or @rian<- "20030930" or @rion<- "20030930" or @rion<- "20030930" or @rion<- "20030930" or @rion<- "20030930") and ("455.clas" or 370/310-350. cots.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/09 115:26
S184	12	burst near2 (averag\$3 or mean) near3 (rate\$2 or bitrate\$2 or bitrate\$2 or bitrate\$2 or bitrate\$3 or	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/09 115:33
S185	6	(vbr same burst\$2 with (averag \$3 or mean) near3 (rate\$2 or bitrate\$2 or bit rate\$2 or mbps or kbps) and ((@ad<= "20030930" or @pd<= "20030930" or @riad== "20030930" or @riad== "20030930" or @riad= "20030930" or @riad= "20030930") and (*455.clas" or 370/310-350. cds.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/09 115:47
S186	0	("200201400851").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/09 16:16
S187	1	("20020140851").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/09 16:16
S188	1	(US-20020140851-\$).did.	US-PGPUB	ADJ	OFF	2009/05/10 12:10

S190	1	S188 and (rate\$4 or bitrate\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 12:10
S191	10	(vbr with (averag\$3 or mean) near3 (rate\$2 or bitrate\$2 or or @idac = "20030930" or @idac = "20030930" or @idac = "20030930") and ("455.clas" or 370/310-350. cds.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB		OFF	2009/05/10 12:16
S192	277	[averag\$3 or mean) near3 (rate \$2 or bitrate\$2 or bit rate\$2 or mbps or kbps) same (burst\$2 near2 rate\$2 or bitrate\$2 or bitrate\$3 or or @dac = "20030930" or @dac = "20030930" or @ripn<= "20030930" or @ripn<= "20030930" ) and ("455. das" or 370/310-350. cds.)	US-PGPUB; USPAT; EPO; DEHWENT; IBM_TDB	ADJ	OFF	2009/05/10 12:21
S193	34	(averag\$3 or mean) near3 (rate \$2 or bitrate\$2 or bit rate\$2 or mbps or kbps) same burst\$2 near2 (rate\$2 or bitrate\$2 or bitrate\$2 or bitrate\$2 or bitrate\$2 or bitrate\$2 or bitrate\$2 or mbps or kbps) and (@ad<= "20030930" or @rad<= "20030930" or @rlad<= "20030930" or @rlad<= "20030930" or @rlad<= "20030930" or @rlad<= "20030930") and ("455.clas" or 370/310-350. cds.)	US-PCPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 12:22
S194	22	["20020054578"   "20030016830"   "20030071096"   "20040204041"   "20050105469"   "20070263857"   "5546377"   "6167253"   "6275497"   "6700869").PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 12:28
S195	10	("20020054578"   "20030016630"   "2003001096"   "20040204041"   "20050105469"   "20070263657"   "5546377"   "6167253"   "6275497"   "670069").PN.	US-PGPUB; USPAT	ADJ	OFF	2009/05/10

S196	1	(US-20020054578-\$).did.	US-PGPUB	ADJ	OFF	2009/05/10 12:30
S197	1	S196 and (rate\$2 or bitrate\$2)	US-PGPUB; USPAT	ADJ	OFF	2009/05/10 12:30
S198	44	(averag\$3 or mean) near3 (rate \$2 or bitrate\$2 or bit rate\$2 or mbps or kbps) same burst\$2 with (max\$6 or high\$5) near2 (rate\$2 or bitrate\$2 or mbps or kbps) and (@ad<="20030930" or @ian<="20030930" or @ian<="20030930" or @ian<="20030930" or @ian<="20030930" or @ian<="20030930" or @ian<="20030930" or @ion<="20030930" or @ion<=="20030930" or @ion	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 12:46
S199	1	(US-20030202499-\$).did.	US-PGPUB	ADJ	OFF	2009/05/10 12:55
S200	1	S199 and upper\$2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 12:55
S201	1	S199 and (upper\$2 or high\$5 or averag\$3 or mean)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 12:56
S202	1	S199 and (upper\$2 or high\$5 or averag\$3 or mean or low\$4 or minim\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 12:56
S203	1	(US-5742594-\$).did.	USPAT	ADJ	OFF	2009/05/10 13:09
S204	1	S203 and (rate\$2 or bitrate\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 13:10
S205	1	(US-5363374-\$).did.	USPAT	ADJ	OFF	2009/05/10 13:18
S206	1	\$205 and (max\$6)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 13:18
S207	88	(adapt\$5 or variable\$2) with (averag\$3 or mean) with (max \$6 or high\$5) and (@ad< = "20030930" or @pd<= "20030930" or @iala= = "20030930" or @iala= = "20030930" or @ripn<= "20030930" or ("455. clas" or 370/310-350. cds.)	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/05/10

S208	54	(adapt\$5 or variable\$2) with (averag\$3 or mean) with (max \$6 ) and (@ad<= "20030930" or @pd<= "20030930" or @rlan<= "20030930" or @ilad<= "20030930" or @ilad<= "20030930") and ("455. clas" or 370/310-350. cols.)	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	<b>A</b>	OFF	2009/05/10
S209	1	(US-20030198204-\$).did.	US-PGPUB	ADJ	OFF	2009/05/10 13:44
S210	1	\$209 and (average\$4 or burst \$4 or max\$5 or high\$6)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 13:44
\$211	0	(averag\$3 or mean) with (temporarily) near2 (max\$6 or high\$5) and (@ad<= "20030930" or @da== "20030930" or @dian<= "20030930" or @dian<= "20030930" or @ipn<= "20030930" or @ipn<= "30030930" or @cipn<= "30030930" or @cipn	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 14:05
S212	131	burst rate\$2 and (@ad<= "20030930" or (@pd<= "20030930" or (@pd<= "20030930" or (@rian<= "20030930" or (@rian<= "20030930" or (@ripn<= "20030930") and ("455.das" or 370/310-350. cols.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10
S213	8	average burst rate\$2 and (@ad<="20030930" or @pd<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930" or @rlpn<="20030930")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 17:38
S214	5	burst (rate\$2 or bitrate\$3) same (average\$4 or mean\$4) near2 (rate\$3 or bitrate\$3) and (@ad<="20030930" or @da=="20030930" or @ian=="20030930" or @ilan=="20030930" or @ijan=="20030930" or @ijan="20030930") and ("455.clas" or 370/310-350.cols.)	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/05/10 18:09

S215	29	burst (rate\$2 or bitrate\$3) and (average\$4 or mean\$4) near2 (rate\$3 or bitrate\$3) and (@adc = "20030930" or @pdc="20030930" or @rianc="20030930" or @rianc="20030930" or @ripnc="20030930" or @ripnc="20030930") and ("455.das" or 370/310-350. cds.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	<b>A</b>	ØFF	2009/05/10
S216	47	burst (rate\$2 or bitrate\$3) same (average\$4 or mean\$4) near2 (rate\$3 or bitrate\$3) and (@ad<="20030930" or @pd<="20030930" or @ial=="20030930" or @ial=="20030930" or @ial=="20030930" or @ipl=="20030930" or @ipl=="20030930") and ("455.das" or "370".das.)	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB		OFF	2009/05/10
S217	59	burst (rate\$2 or bitrate\$3) same (average\$4 or mean\$4) near2 (rate\$3 or bitrate\$3) and (@ad<="20030930" or @d<="20030930" or @iad<="20030930" or @iad<="20030930" or @iad<="20030930" or @ipn<="20030930" or @ipn<="20030930" or @ibn<="20030930" or @	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10
\$218	3	burst (rate\$2 or bitrate\$3) same (average\$4 or mean\$4) near2 (rate\$3 or bitrate\$3) same (pcr or scr or vbr) and (gad.= "20030930" or @rlac.= "20030930" or @rlac.= "20030930" or @rlac.= "20030930" or @rlac.= "20030930") and ("455".clas.or "370".clas.)	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB		OFF	2009/05/10
S219	29	burst (rate\$2 or bitrate\$3) same (por or sor or vbr) and (@ad = "20030930" or @pd<= "20030930" or @rian<= "20030930" or @riad<= "20030930" or @riad<= "20030930" or @riad<= "50030930") and ("455".clas. or "370".clas.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 19:38
S220	0	("fig." with por with sor) and (@ads = "20030930" or @pd<= "20030930" or @irlan = "20030930" and ("455".clas. or "370".clas.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 20:00

S221	0	("fig." with peak cell) and (@ads = "20030930" or @pds = "20030930" or @ilan = "20030930") and ("455" clas. or "370".das.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 20:01
S222	81	(mor or maximum burst rate\$3) with (sor) and (@adc="20030930" or @pdc="20030930" or @irlac="20030930" or @irlac="20030930" or @irlac="20030930" or @irlac="20030930" or @irlac="20030930" or @irlac="20030930") and ("455".clas. or "370".clas.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10
S223	3	(maximum burst rate\$3) with (spr) and (@ad<= "20030930" or @pds= "20030930" or @rian<= "20030930" or @riand<= "20030930" or @ripn<= "20030930" or @ripn<= "20030930") and ("455" clas. or "370".clas.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 20:05
S224	0	("fig." with vbr) and (@ad≤ = "20030930" or @pd<= "20030930" or @rlan<= "20030930" or @rlan<= "20030930" or @rlan<= "20030930" or @rlpn<= "20030930") and ("455".clas. or "370".clas.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 20:09
S225	0	(fig with vbr) and (@ad<= "20030930" or @d<= "20030930" or @rlan<= "20030930" or @rlan<= "20030930" or @rlan<= "20030930" or @rlan<= "20030930") and ("455" clas. or "370".clas.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 20:09
S226	0	(fig\$2 with vbr) and (@ads = "20030930" or @pd<= "20030930" or @rian<= "20030930" or @rian<= "20030930" or @rian<= "20030930" or @ripn<= "20030930") and ("455".clas. or "370".clas.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 20:09
\$227	1	(fig\$2 same vbr) and (@ad<= "20030930" or @d<= "20030930" or @d= "20030930" or @rlan<= "20030930" or @rlad<= "20030930" or @rlpn<= "20030930") and ("455".clas. or "370".clas.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10

S228	23	((average\$4 or mean\$4) adj2 (por or peak cell rate\$4)) and (@adc = "20030930" or @pdc = "20030930" or @rlanc = "20030930" or @rladc = "20030930" or @rlanc = "20030930") and ("455".clas. or "370".clas.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 20:14
S229	40	(average\$4 or mean\$4) same por same sor same maximum burst and (@ad<= "20030930" or @pd<= "20030930" or @pd<= "20030930" or @riad<= "20030930" or @riad<= "20030930" or @riad<= "20030930") and ("455".clas. or "370".clas.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 20:28
S230	12	(average\$4 or mean\$4) same pcr same scr same maximum rates3 and (@ad<="20030930" or @pd<="20030930" or @iad<="20030930" or @iad<="20030930" or @iad<="20030930" or @iad<="20030930" or @iad<="20030930" or @ibd<="20030930" or @ib	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/10 20:28

## 5/11/2009 1:57:36 AM

C:\ Documents and Settings\ kcehic\ Desktop\ apps\ 10676941\ 941.wsp